

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
United States				
...	All causes	2,596,993	100.0	821.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	611,105	23.5	193.3
2	Malignant neoplasms (C00-C97)	584,881	22.5	185.0
3	Chronic lower respiratory diseases (J40-J47)	149,205	5.7	47.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	130,557	5.0	41.3
5	Cerebrovascular diseases (I60-I69)	128,978	5.0	40.8
6	Alzheimer's disease (G30)	84,767	3.3	26.8
7	Diabetes mellitus (E10-E14)	75,578	2.9	23.9
8	Influenza and pneumonia (J09-J18)	56,979	2.2	18.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	47,112	1.8	14.9
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	41,149	1.6	13.0
11	Septicemia (A40-A41)	38,156	1.5	12.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	36,427	1.4	11.5
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	30,770	1.2	9.7
14	Parkinson's disease (G20-G21)	25,196	1.0	8.0
15	Pneumonitis due to solids and liquids (J69)	18,579	0.7	5.9
...	All other causes (Residual)	537,554	20.7	170.0
Alabama				
...	All causes	50,189	100.0	1,038.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,472	24.9	258.0
2	Malignant neoplasms (C00-C97)	10,328	20.6	213.7
3	Chronic lower respiratory diseases (J40-J47)	3,043	6.1	63.0
4	Cerebrovascular diseases (I60-I69)	2,604	5.2	53.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,329	4.6	48.2
6	Alzheimer's disease (G30)	1,398	2.8	28.9
7	Diabetes mellitus (E10-E14)	1,349	2.7	27.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,057	2.1	21.9
9	Influenza and pneumonia (J09-J18)	1,035	2.1	21.4
10	Septicemia (A40-A41)	965	1.9	20.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	721	1.4	14.9
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	585	1.2	12.1
13	Chronic liver disease and cirrhosis (K70,K73-K74)	577	1.1	11.9
14	Parkinson's disease (G20-G21)	425	0.8	8.8
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	417	0.8	8.6
...	All other causes (Residual)	10,884	21.7	225.2

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Alaska				
...	All causes	3,997	100.0	543.7
1	Malignant neoplasms (C00-C97)	1,016	25.4	138.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	706	17.7	96.0
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	353	8.8	48.0
4	Chronic lower respiratory diseases (J40-J47)	197	4.9	26.8
5	Cerebrovascular diseases (I60-I69)	189	4.7	25.7
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	171	4.3	23.3
7	Diabetes mellitus (E10-E14)	112	2.8	15.2
8	Chronic liver disease and cirrhosis (K70,K73-K74)	82	2.1	11.2
9	Alzheimer's disease (G30)	72	1.8	9.8
10	Influenza and pneumonia (J09-J18)	66	1.7	9.0
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	49	1.2	6.7
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	43	1.1	5.8
13	Septicemia (A40-A41)	37	0.9	5.0
14	Parkinson's disease (G20-G21)	36	0.9	4.9
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	35	0.9	4.8
...	All other causes (Residual)	833	20.8	113.3
Arizona				
...	All causes	50,534	100.0	762.6
1	Malignant neoplasms (C00-C97)	11,347	22.5	171.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,755	21.3	162.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,349	6.6	50.5
4	Chronic lower respiratory diseases (J40-J47)	3,345	6.6	50.5
5	Alzheimer's disease (G30)	2,383	4.7	36.0
6	Cerebrovascular diseases (I60-I69)	2,162	4.3	32.6
7	Diabetes mellitus (E10-E14)	1,786	3.5	27.0
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,163	2.3	17.6
9	Chronic liver disease and cirrhosis (K70,K73-K74)	1,069	2.1	16.1
10	Influenza and pneumonia (J09-J18)	776	1.5	11.7
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	775	1.5	11.7
12	Parkinson's disease (G20-G21)	584	1.2	8.8
13	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	389	0.8	5.9
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	374	0.7	5.6
15	Septicemia (A40-A41)	370	0.7	5.6
...	All other causes (Residual)	9,907	19.6	149.5

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Arkansas				
...	All causes	30,437	100.0	1,028.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,377	24.2	249.3
2	Malignant neoplasms (C00-C97)	6,688	22.0	226.0
3	Chronic lower respiratory diseases (J40-J47)	2,090	6.9	70.6
4	Cerebrovascular diseases (I60-I69)	1,637	5.4	55.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,373	4.5	46.4
6	Alzheimer's disease (G30)	918	3.0	31.0
7	Diabetes mellitus (E10-E14)	835	2.7	28.2
8	Influenza and pneumonia (J09-J18)	794	2.6	26.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	762	2.5	25.7
10	Septicemia (A40-A41)	529	1.7	17.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	516	1.7	17.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	338	1.1	11.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	276	0.9	9.3
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	212	0.7	7.2
15	Parkinson's disease (G20-G21)	196	0.6	6.6
...	All other causes (Residual)	5,896	19.4	199.2
California				
...	All causes	248,359	100.0	647.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	60,299	24.3	157.3
2	Malignant neoplasms (C00-C97)	57,714	23.2	150.6
3	Cerebrovascular diseases (I60-I69)	13,698	5.5	35.7
4	Chronic lower respiratory diseases (J40-J47)	13,598	5.5	35.5
5	Alzheimer's disease (G30)	11,891	4.8	31.0
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	11,538	4.6	30.1
7	Diabetes mellitus (E10-E14)	8,057	3.2	21.0
8	Influenza and pneumonia (J09-J18)	6,551	2.6	17.1
9	Chronic liver disease and cirrhosis (K70,K73-K74)	4,824	1.9	12.6
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	4,720	1.9	12.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	4,025	1.6	10.5
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,840	1.1	7.4
13	Parkinson's disease (G20-G21)	2,543	1.0	6.6
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,890	0.8	4.9
15	Pneumonitis due to solids and liquids (J69)	1,498	0.6	3.9
...	All other causes (Residual)	42,673	17.2	111.3

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Colorado				
...	All causes	33,712	100.0	639.9
1	Malignant neoplasms (C00-C97)	7,357	21.8	139.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,456	19.2	122.5
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,422	7.2	46.0
4	Chronic lower respiratory diseases (J40-J47)	2,297	6.8	43.6
5	Cerebrovascular diseases (I60-I69)	1,588	4.7	30.1
6	Alzheimer's disease (G30)	1,316	3.9	25.0
7	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,007	3.0	19.1
8	Diabetes mellitus (E10-E14)	788	2.3	15.0
9	Chronic liver disease and cirrhosis (K70,K73-K74)	712	2.1	13.5
10	Influenza and pneumonia (J09-J18)	606	1.8	11.5
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	450	1.3	8.5
12	Septicemia (A40-A41)	392	1.2	7.4
13	Parkinson's disease (G20-G21)	372	1.1	7.1
14	Pneumonitis due to solids and liquids (J69)	290	0.9	5.5
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	260	0.8	4.9
...	All other causes (Residual)	7,399	21.9	140.4
Connecticut				
...	All causes	29,632	100.0	824.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,090	23.9	197.2
2	Malignant neoplasms (C00-C97)	6,619	22.3	184.1
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,582	5.3	44.0
4	Cerebrovascular diseases (I60-I69)	1,348	4.5	37.5
4	Chronic lower respiratory diseases (J40-J47)	1,348	4.5	37.5
6	Alzheimer's disease (G30)	824	2.8	22.9
7	Diabetes mellitus (E10-E14)	664	2.2	18.5
8	Influenza and pneumonia (J09-J18)	604	2.0	16.8
9	Septicemia (A40-A41)	575	1.9	16.0
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	565	1.9	15.7
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	374	1.3	10.4
12	Pneumonitis due to solids and liquids (J69)	370	1.2	10.3
13	Chronic liver disease and cirrhosis (K70,K73-K74)	336	1.1	9.3
14	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	330	1.1	9.2
15	Parkinson's disease (G20-G21)	279	0.9	7.8
...	All other causes (Residual)	6,724	22.7	187.0

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Delaware				
...	All causes	7,967	100.0	860.6
1	Malignant neoplasms (C00-C97)	1,905	23.9	205.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,861	23.4	201.0
3	Chronic lower respiratory diseases (J40-J47)	482	6.0	52.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	412	5.2	44.5
5	Cerebrovascular diseases (I60-I69)	409	5.1	44.2
6	Diabetes mellitus (E10-E14)	218	2.7	23.5
7	Alzheimer's disease (G30)	192	2.4	20.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	178	2.2	19.2
9	Septicemia (A40-A41)	157	2.0	17.0
10	Influenza and pneumonia (J09-J18)	150	1.9	16.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	122	1.5	13.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	82	1.0	8.9
13	Parkinson's disease (G20-G21)	81	1.0	8.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	69	0.9	7.5
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	54	0.7	5.8
...	All other causes (Residual)	1,595	20.0	172.3
District of Columbia				
...	All causes	4,719	100.0	730.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,340	28.4	207.3
2	Malignant neoplasms (C00-C97)	1,095	23.2	169.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	216	4.6	33.4
4	Cerebrovascular diseases (I60-I69)	187	4.0	28.9
5	Chronic lower respiratory diseases (J40-J47)	150	3.2	23.2
6	Alzheimer's disease (G30)	130	2.8	20.1
7	Diabetes mellitus (E10-E14)	108	2.3	16.7
8	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	90	1.9	13.9
9	Influenza and pneumonia (J09-J18)	83	1.8	12.8
10	Human immunodeficiency virus (HIV) disease (B20-B24)	79	1.7	12.2
11	Septicemia (A40-A41)	72	1.5	11.1
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	56	1.2	8.7
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	54	1.1	8.4
14	Chronic liver disease and cirrhosis (K70,K73-K74)	51	1.1	7.9
15	Certain conditions originating in the perinatal period (P00-P96)	43	0.9	6.7
...	All other causes (Residual)	965	20.4	149.3

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Florida				
...	All causes	181,112	100.0	926.3
1	Malignant neoplasms (C00-C97)	42,735	23.6	218.6
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	42,656	23.6	218.2
3	Chronic lower respiratory diseases (J40-J47)	11,379	6.3	58.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,736	4.8	44.7
5	Cerebrovascular diseases (I60-I69)	8,698	4.8	44.5
6	Diabetes mellitus (E10-E14)	5,238	2.9	26.8
7	Alzheimer's disease (G30)	5,093	2.8	26.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,130	1.7	16.0
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	2,928	1.6	15.0
10	Chronic liver disease and cirrhosis (K70,K73-K74)	2,668	1.5	13.6
11	Influenza and pneumonia (J09-J18)	2,662	1.5	13.6
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,147	1.2	11.0
13	Septicemia (A40-A41)	2,096	1.2	10.7
14	Parkinson's disease (G20-G21)	1,947	1.1	10.0
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	1,158	0.6	5.9
...	All other causes (Residual)	37,841	20.9	193.5
Georgia				
...	All causes	75,088	100.0	751.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	16,550	22.0	165.6
2	Malignant neoplasms (C00-C97)	16,417	21.9	164.3
3	Chronic lower respiratory diseases (J40-J47)	4,172	5.6	41.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,727	5.0	37.3
5	Cerebrovascular diseases (I60-I69)	3,694	4.9	37.0
6	Diabetes mellitus (E10-E14)	2,199	2.9	22.0
7	Alzheimer's disease (G30)	2,048	2.7	20.5
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,652	2.2	16.5
9	Septicemia (A40-A41)	1,560	2.1	15.6
10	Influenza and pneumonia (J09-J18)	1,494	2.0	15.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,212	1.6	12.1
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,084	1.4	10.8
13	Chronic liver disease and cirrhosis (K70,K73-K74)	898	1.2	9.0
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	641	0.9	6.4
15	Parkinson's disease (G20-G21)	631	0.8	6.3
...	All other causes (Residual)	17,109	22.8	171.2

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Hawaii				
...	All causes	10,505	100.0	748.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,521	24.0	179.6
2	Malignant neoplasms (C00-C97)	2,332	22.2	166.1
3	Cerebrovascular diseases (I60-I69)	634	6.0	45.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	467	4.4	33.3
5	Influenza and pneumonia (J09-J18)	457	4.4	32.5
6	Chronic lower respiratory diseases (J40-J47)	279	2.7	19.9
7	Diabetes mellitus (E10-E14)	271	2.6	19.3
8	Alzheimer's disease (G30)	260	2.5	18.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	209	2.0	14.9
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	171	1.6	12.2
11	Septicemia (A40-A41)	149	1.4	10.6
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	112	1.1	8.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	112	1.1	8.0
14	Pneumonitis due to solids and liquids (J69)	110	1.0	7.8
15	Parkinson's disease (G20-G21)	98	0.9	7.0
...	All other causes (Residual)	2,323	22.1	165.4
Idaho				
...	All causes	12,434	100.0	771.3
1	Malignant neoplasms (C00-C97)	2,707	21.8	167.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,495	20.1	154.8
3	Chronic lower respiratory diseases (J40-J47)	808	6.5	50.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	776	6.2	48.1
5	Cerebrovascular diseases (I60-I69)	598	4.8	37.1
6	Diabetes mellitus (E10-E14)	404	3.2	25.1
7	Alzheimer's disease (G30)	347	2.8	21.5
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	308	2.5	19.1
9	Influenza and pneumonia (J09-J18)	259	2.1	16.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	207	1.7	12.8
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	148	1.2	9.2
12	Parkinson's disease (G20-G21)	142	1.1	8.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	135	1.1	8.4
14	Septicemia (A40-A41)	100	0.8	6.2
15	Pneumonitis due to solids and liquids (J69)	91	0.7	5.6
...	All other causes (Residual)	2,909	23.4	180.4

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Illinois				
...	All causes	103,401	100.0	802.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	24,839	24.0	192.8
2	Malignant neoplasms (C00-C97)	24,491	23.7	190.1
3	Chronic lower respiratory diseases (J40-J47)	5,532	5.4	42.9
4	Cerebrovascular diseases (I60-I69)	5,294	5.1	41.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,511	4.4	35.0
6	Alzheimer's disease (G30)	2,919	2.8	22.7
7	Diabetes mellitus (E10-E14)	2,798	2.7	21.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,444	2.4	19.0
9	Influenza and pneumonia (J09-J18)	2,441	2.4	18.9
10	Septicemia (A40-A41)	1,697	1.6	13.2
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,321	1.3	10.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,279	1.2	9.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,049	1.0	8.1
14	Parkinson's disease (G20-G21)	1,044	1.0	8.1
15	Pneumonitis due to solids and liquids (J69)	844	0.8	6.6
...	All other causes (Residual)	20,898	20.2	162.2
Indiana				
...	All causes	60,716	100.0	924.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,773	22.7	209.6
2	Malignant neoplasms (C00-C97)	13,258	21.8	201.8
3	Chronic lower respiratory diseases (J40-J47)	4,266	7.0	64.9
4	Cerebrovascular diseases (I60-I69)	2,996	4.9	45.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,898	4.8	44.1
6	Alzheimer's disease (G30)	2,104	3.5	32.0
7	Diabetes mellitus (E10-E14)	1,943	3.2	29.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,352	2.2	20.6
9	Influenza and pneumonia (J09-J18)	1,132	1.9	17.2
10	Septicemia (A40-A41)	1,024	1.7	15.6
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	944	1.6	14.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	752	1.2	11.4
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	651	1.1	9.9
14	Parkinson's disease (G20-G21)	555	0.9	8.4
15	Pneumonitis due to solids and liquids (J69)	449	0.7	6.8
...	All other causes (Residual)	12,619	20.8	192.0

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Iowa				
...	All causes	28,948	100.0	936.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,995	24.2	226.3
2	Malignant neoplasms (C00-C97)	6,509	22.5	210.6
3	Chronic lower respiratory diseases (J40-J47)	1,892	6.5	61.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,422	4.9	46.0
5	Cerebrovascular diseases (I60-I69)	1,409	4.9	45.6
6	Alzheimer's disease (G30)	1,252	4.3	40.5
7	Influenza and pneumonia (J09-J18)	761	2.6	24.6
8	Diabetes mellitus (E10-E14)	747	2.6	24.2
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	447	1.5	14.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	369	1.3	11.9
11	Parkinson's disease (G20-G21)	359	1.2	11.6
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	324	1.1	10.5
13	Pneumonitis due to solids and liquids (J69)	308	1.1	10.0
13	Chronic liver disease and cirrhosis (K70,K73-K74)	308	1.1	10.0
15	Septicemia (A40-A41)	260	0.9	8.4
...	All other causes (Residual)	5,586	19.3	180.8
Kansas				
...	All causes	25,414	100.0	878.2
1	Malignant neoplasms (C00-C97)	5,379	21.2	185.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,364	21.1	185.4
3	Chronic lower respiratory diseases (J40-J47)	1,673	6.6	57.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,359	5.3	47.0
5	Cerebrovascular diseases (I60-I69)	1,320	5.2	45.6
6	Alzheimer's disease (G30)	742	2.9	25.6
7	Influenza and pneumonia (J09-J18)	715	2.8	24.7
8	Diabetes mellitus (E10-E14)	654	2.6	22.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	594	2.3	20.5
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	425	1.7	14.7
11	Atherosclerosis (I70)	422	1.7	14.6
12	Septicemia (A40-A41)	364	1.4	12.6
13	Parkinson's disease (G20-G21)	307	1.2	10.6
14	Chronic liver disease and cirrhosis (K70,K73-K74)	248	1.0	8.6
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	218	0.9	7.5
...	All other causes (Residual)	5,630	22.2	194.5

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Kentucky				
...	All causes	43,759	100.0	995.6
1	Malignant neoplasms (C00-C97)	10,085	23.0	229.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,971	22.8	226.9
3	Chronic lower respiratory diseases (J40-J47)	3,187	7.3	72.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,513	5.7	57.2
5	Cerebrovascular diseases (I60-I69)	1,990	4.5	45.3
6	Alzheimer's disease (G30)	1,462	3.3	33.3
7	Diabetes mellitus (E10-E14)	1,187	2.7	27.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	991	2.3	22.5
9	Influenza and pneumonia (J09-J18)	919	2.1	20.9
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	701	1.6	15.9
11	Septicemia (A40-A41)	685	1.6	15.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	558	1.3	12.7
13	Parkinson's disease (G20-G21)	337	0.8	7.7
14	Pneumonitis due to solids and liquids (J69)	334	0.8	7.6
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	319	0.7	7.3
...	All other causes (Residual)	8,520	19.5	193.8
Louisiana				
...	All causes	43,270	100.0	935.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,346	23.9	223.7
2	Malignant neoplasms (C00-C97)	9,419	21.8	203.6
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,333	5.4	50.4
4	Chronic lower respiratory diseases (J40-J47)	2,274	5.3	49.2
5	Cerebrovascular diseases (I60-I69)	2,098	4.8	45.4
6	Alzheimer's disease (G30)	1,505	3.5	32.5
7	Diabetes mellitus (E10-E14)	1,329	3.1	28.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,108	2.6	24.0
9	Influenza and pneumonia (J09-J18)	892	2.1	19.3
10	Septicemia (A40-A41)	867	2.0	18.7
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	583	1.3	12.6
12	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	552	1.3	11.9
13	Chronic liver disease and cirrhosis (K70,K73-K74)	503	1.2	10.9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	454	1.0	9.8
15	Parkinson's disease (G20-G21)	284	0.7	6.1
...	All other causes (Residual)	8,723	20.2	188.6

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Maine				
...	All causes	13,547	100.0	1,019.9
1	Malignant neoplasms (C00-C97)	3,227	23.8	242.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,807	20.7	211.3
3	Chronic lower respiratory diseases (J40-J47)	902	6.7	67.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	644	4.8	48.5
5	Cerebrovascular diseases (I60-I69)	620	4.6	46.7
6	Alzheimer's disease (G30)	401	3.0	30.2
7	Diabetes mellitus (E10-E14)	373	2.8	28.1
8	Influenza and pneumonia (J09-J18)	258	1.9	19.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	252	1.9	19.0
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	245	1.8	18.4
11	Parkinson's disease (G20-G21)	177	1.3	13.3
12	Septicemia (A40-A41)	155	1.1	11.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	151	1.1	11.4
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	102	0.8	7.7
15	Pneumonitis due to solids and liquids (J69)	101	0.7	7.6
...	All other causes (Residual)	3,132	23.1	235.8
Maryland				
...	All causes	45,689	100.0	770.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,244	24.6	189.7
2	Malignant neoplasms (C00-C97)	10,609	23.2	178.9
3	Cerebrovascular diseases (I60-I69)	2,315	5.1	39.0
4	Chronic lower respiratory diseases (J40-J47)	2,051	4.5	34.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,732	3.8	29.2
6	Diabetes mellitus (E10-E14)	1,249	2.7	21.1
7	Influenza and pneumonia (J09-J18)	1,103	2.4	18.6
8	Septicemia (A40-A41)	969	2.1	16.3
9	Alzheimer's disease (G30)	919	2.0	15.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	737	1.6	12.4
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	569	1.2	9.6
12	Parkinson's disease (G20-G21)	457	1.0	7.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	455	1.0	7.7
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	452	1.0	7.6
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	421	0.9	7.1
...	All other causes (Residual)	10,407	22.8	175.5

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Massachusetts				
...	All causes	54,567	100.0	815.3
1	Malignant neoplasms (C00-C97)	12,858	23.6	192.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,023	22.0	179.6
3	Chronic lower respiratory diseases (J40-J47)	2,572	4.7	38.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,393	4.4	35.8
5	Cerebrovascular diseases (I60-I69)	2,354	4.3	35.2
6	Alzheimer's disease (G30)	1,699	3.1	25.4
7	Influenza and pneumonia (J09-J18)	1,551	2.8	23.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,261	2.3	18.8
9	Diabetes mellitus (E10-E14)	1,142	2.1	17.1
10	Septicemia (A40-A41)	848	1.6	12.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	597	1.1	8.9
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	572	1.0	8.5
13	Parkinson's disease (G20-G21)	549	1.0	8.2
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	488	0.9	7.3
15	Pneumonitis due to solids and liquids (J69)	427	0.8	6.4
...	All other causes (Residual)	13,233	24.3	197.7
Michigan				
...	All causes	92,408	100.0	933.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	24,156	26.1	244.1
2	Malignant neoplasms (C00-C97)	20,367	22.0	205.8
3	Chronic lower respiratory diseases (J40-J47)	5,539	6.0	56.0
4	Cerebrovascular diseases (I60-I69)	4,373	4.7	44.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,225	4.6	42.7
6	Alzheimer's disease (G30)	3,220	3.5	32.5
7	Diabetes mellitus (E10-E14)	2,825	3.1	28.5
8	Influenza and pneumonia (J09-J18)	1,896	2.1	19.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,660	1.8	16.8
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,295	1.4	13.1
11	Septicemia (A40-A41)	1,215	1.3	12.3
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,171	1.3	11.8
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,034	1.1	10.4
14	Parkinson's disease (G20-G21)	926	1.0	9.4
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	635	0.7	6.4
...	All other causes (Residual)	17,871	19.3	180.6

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Minnesota				
...	All causes	40,987	100.0	756.2
1	Malignant neoplasms (C00-C97)	9,601	23.4	177.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,714	18.8	142.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,405	5.9	44.4
4	Chronic lower respiratory diseases (J40-J47)	2,287	5.6	42.2
5	Cerebrovascular diseases (I60-I69)	2,073	5.1	38.2
6	Alzheimer's disease (G30)	1,427	3.5	26.3
7	Diabetes mellitus (E10-E14)	1,163	2.8	21.5
8	Influenza and pneumonia (J09-J18)	751	1.8	13.9
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	678	1.7	12.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	653	1.6	12.0
11	Parkinson's disease (G20-G21)	572	1.4	10.6
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	555	1.4	10.2
13	Chronic liver disease and cirrhosis (K70,K73-K74)	517	1.3	9.5
14	Septicemia (A40-A41)	382	0.9	7.0
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	296	0.7	5.5
...	All other causes (Residual)	9,913	24.2	182.9
Mississippi				
...	All causes	30,703	100.0	1,026.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,715	25.1	257.9
2	Malignant neoplasms (C00-C97)	6,527	21.3	218.2
3	Chronic lower respiratory diseases (J40-J47)	1,755	5.7	58.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,692	5.5	56.6
5	Cerebrovascular diseases (I60-I69)	1,500	4.9	50.1
6	Diabetes mellitus (E10-E14)	1,071	3.5	35.8
7	Alzheimer's disease (G30)	925	3.0	30.9
8	Influenza and pneumonia (J09-J18)	769	2.5	25.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	731	2.4	24.4
10	Septicemia (A40-A41)	674	2.2	22.5
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	502	1.6	16.8
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	388	1.3	13.0
13	Chronic liver disease and cirrhosis (K70,K73-K74)	327	1.1	10.9
14	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	291	0.9	9.7
15	Pneumonitis due to solids and liquids (J69)	225	0.7	7.5
...	All other causes (Residual)	5,611	18.3	187.6

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Missouri				
...	All causes	57,444	100.0	950.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,095	24.5	233.2
2	Malignant neoplasms (C00-C97)	12,955	22.6	214.3
3	Chronic lower respiratory diseases (J40-J47)	3,798	6.6	62.8
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,981	5.2	49.3
5	Cerebrovascular diseases (I60-I69)	2,935	5.1	48.6
6	Alzheimer's disease (G30)	2,026	3.5	33.5
7	Diabetes mellitus (E10-E14)	1,477	2.6	24.4
8	Influenza and pneumonia (J09-J18)	1,352	2.4	22.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,305	2.3	21.6
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	960	1.7	15.9
11	Septicemia (A40-A41)	809	1.4	13.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	598	1.0	9.9
13	Pneumonitis due to solids and liquids (J69)	578	1.0	9.6
14	Parkinson's disease (G20-G21)	554	1.0	9.2
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	442	0.8	7.3
...	All other causes (Residual)	10,579	18.4	175.0
Montana				
...	All causes	9,511	100.0	936.9
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,004	21.1	197.4
2	Malignant neoplasms (C00-C97)	1,997	21.0	196.7
3	Chronic lower respiratory diseases (J40-J47)	647	6.8	63.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	623	6.6	61.4
5	Cerebrovascular diseases (I60-I69)	480	5.0	47.3
6	Alzheimer's disease (G30)	267	2.8	26.3
7	Diabetes mellitus (E10-E14)	250	2.6	24.6
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	243	2.6	23.9
9	Influenza and pneumonia (J09-J18)	210	2.2	20.7
10	Chronic liver disease and cirrhosis (K70,K73-K74)	150	1.6	14.8
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	130	1.4	12.8
12	Septicemia (A40-A41)	110	1.2	10.8
13	Parkinson's disease (G20-G21)	101	1.1	9.9
14	Pneumonitis due to solids and liquids (J69)	71	0.7	7.0
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	70	0.7	6.9
...	All other causes (Residual)	2,158	22.7	212.6

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Nebraska				
...	All causes	15,754	100.0	843.1
1	Malignant neoplasms (C00-C97)	3,459	22.0	185.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,381	21.5	180.9
3	Chronic lower respiratory diseases (J40-J47)	1,032	6.6	55.2
4	Cerebrovascular diseases (I60-I69)	820	5.2	43.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	703	4.5	37.6
6	Alzheimer's disease (G30)	557	3.5	29.8
7	Diabetes mellitus (E10-E14)	471	3.0	25.2
8	Influenza and pneumonia (J09-J18)	343	2.2	18.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	222	1.4	11.9
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	221	1.4	11.8
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	220	1.4	11.8
12	Parkinson's disease (G20-G21)	198	1.3	10.6
13	Chronic liver disease and cirrhosis (K70,K73-K74)	181	1.1	9.7
14	Pneumonitis due to solids and liquids (J69)	128	0.8	6.9
15	Septicemia (A40-A41)	126	0.8	6.7
...	All other causes (Residual)	3,692	23.4	197.6
Nevada				
...	All causes	21,468	100.0	769.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	5,434	25.3	194.8
2	Malignant neoplasms (C00-C97)	4,817	22.4	172.6
3	Chronic lower respiratory diseases (J40-J47)	1,482	6.9	53.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,184	5.5	42.4
5	Cerebrovascular diseases (I60-I69)	905	4.2	32.4
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	541	2.5	19.4
7	Influenza and pneumonia (J09-J18)	513	2.4	18.4
8	Alzheimer's disease (G30)	448	2.1	16.1
9	Diabetes mellitus (E10-E14)	424	2.0	15.2
10	Chronic liver disease and cirrhosis (K70,K73-K74)	402	1.9	14.4
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	370	1.7	13.3
12	Septicemia (A40-A41)	260	1.2	9.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	179	0.8	6.4
14	Parkinson's disease (G20-G21)	170	0.8	6.1
15	Pneumonitis due to solids and liquids (J69)	159	0.7	5.7
...	All other causes (Residual)	4,180	19.5	149.8

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
New Hampshire				
...	All causes	10,897	100.0	823.4
1	Malignant neoplasms (C00-C97)	2,584	23.7	195.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,434	22.3	183.9
3	Chronic lower respiratory diseases (J40-J47)	668	6.1	50.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	619	5.7	46.8
5	Cerebrovascular diseases (I60-I69)	441	4.0	33.3
6	Alzheimer's disease (G30)	351	3.2	26.5
7	Diabetes mellitus (E10-E14)	310	2.8	23.4
8	Influenza and pneumonia (J09-J18)	226	2.1	17.1
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	185	1.7	14.0
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	175	1.6	13.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	147	1.3	11.1
12	Parkinson's disease (G20-G21)	106	1.0	8.0
13	Septicemia (A40-A41)	92	0.8	7.0
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	92	0.8	7.0
15	Pneumonitis due to solids and liquids (J69)	82	0.8	6.2
...	All other causes (Residual)	2,385	21.9	180.2
New Jersey				
...	All causes	71,403	100.0	802.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	18,460	25.9	207.4
2	Malignant neoplasms (C00-C97)	16,315	22.8	183.3
3	Cerebrovascular diseases (I60-I69)	3,456	4.8	38.8
4	Chronic lower respiratory diseases (J40-J47)	3,245	4.5	36.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,028	4.2	34.0
6	Diabetes mellitus (E10-E14)	2,043	2.9	23.0
7	Alzheimer's disease (G30)	1,812	2.5	20.4
8	Septicemia (A40-A41)	1,785	2.5	20.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,400	2.0	15.7
10	Influenza and pneumonia (J09-J18)	1,356	1.9	15.2
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	846	1.2	9.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	795	1.1	8.9
13	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	757	1.1	8.5
14	Parkinson's disease (G20-G21)	703	1.0	7.9
15	Pneumonitis due to solids and liquids (J69)	640	0.9	7.2
...	All other causes (Residual)	14,762	20.7	165.9

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
New Mexico				
...	All causes	16,805	100.0	805.9
1	Malignant neoplasms (C00-C97)	3,482	20.7	167.0
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,425	20.4	164.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,245	7.4	59.7
4	Chronic lower respiratory diseases (J40-J47)	1,052	6.3	50.4
5	Cerebrovascular diseases (I60-I69)	689	4.1	33.0
6	Diabetes mellitus (E10-E14)	646	3.8	31.0
7	Chronic liver disease and cirrhosis (K70,K73-K74)	452	2.7	21.7
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	431	2.6	20.7
9	Alzheimer's disease (G30)	339	2.0	16.3
10	Influenza and pneumonia (J09-J18)	337	2.0	16.2
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	302	1.8	14.5
12	Septicemia (A40-A41)	214	1.3	10.3
13	Parkinson's disease (G20-G21)	174	1.0	8.3
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	169	1.0	8.1
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	135	0.8	6.5
...	All other causes (Residual)	3,713	22.1	178.1
New York				
...	All causes	150,919	100.0	768.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	44,039	29.2	224.1
2	Malignant neoplasms (C00-C97)	35,738	23.7	181.9
3	Chronic lower respiratory diseases (J40-J47)	7,110	4.7	36.2
4	Cerebrovascular diseases (I60-I69)	6,176	4.1	31.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,927	3.9	30.2
6	Influenza and pneumonia (J09-J18)	4,892	3.2	24.9
7	Diabetes mellitus (E10-E14)	4,094	2.7	20.8
8	Alzheimer's disease (G30)	2,556	1.7	13.0
9	Septicemia (A40-A41)	2,387	1.6	12.1
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,285	1.5	11.6
11	Essential hypertension and hypertensive renal disease (I10,I12,I15)	2,269	1.5	11.5
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,687	1.1	8.6
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,559	1.0	7.9
14	Parkinson's disease (G20-G21)	1,208	0.8	6.1
15	Pneumonitis due to solids and liquids (J69)	834	0.6	4.2
...	All other causes (Residual)	28,158	18.7	143.3

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
North Carolina				
...	All causes	83,329	100.0	846.1
1	Malignant neoplasms (C00-C97)	18,589	22.3	188.8
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	17,830	21.4	181.1
3	Chronic lower respiratory diseases (J40-J47)	4,987	6.0	50.6
4	Cerebrovascular diseases (I60-I69)	4,503	5.4	45.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,324	5.2	43.9
6	Alzheimer's disease (G30)	2,872	3.4	29.2
7	Diabetes mellitus (E10-E14)	2,402	2.9	24.4
8	Influenza and pneumonia (J09-J18)	1,931	2.3	19.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,780	2.1	18.1
10	Septicemia (A40-A41)	1,484	1.8	15.1
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,284	1.5	13.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,154	1.4	11.7
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	856	1.0	8.7
14	Parkinson's disease (G20-G21)	752	0.9	7.6
15	Pneumonitis due to solids and liquids (J69)	687	0.8	7.0
...	All other causes (Residual)	17,894	21.5	181.7
North Dakota				
...	All causes	6,233	100.0	861.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,382	22.2	191.0
2	Malignant neoplasms (C00-C97)	1,286	20.6	177.8
3	Alzheimer's disease (G30)	363	5.8	50.2
4	Chronic lower respiratory diseases (J40-J47)	331	5.3	45.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	326	5.2	45.1
6	Cerebrovascular diseases (I60-I69)	306	4.9	42.3
7	Diabetes mellitus (E10-E14)	197	3.2	27.2
8	Influenza and pneumonia (J09-J18)	134	2.1	18.5
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	128	2.1	17.7
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	117	1.9	16.2
11	Chronic liver disease and cirrhosis (K70,K73-K74)	90	1.4	12.4
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	86	1.4	11.9
13	Septicemia (A40-A41)	72	1.2	10.0
14	Pneumonitis due to solids and liquids (J69)	71	1.1	9.8
15	Parkinson's disease (G20-G21)	59	0.9	8.2
...	All other causes (Residual)	1,285	20.6	177.6

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Ohio				
...	All causes	113,258	100.0	978.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	26,878	23.7	232.3
2	Malignant neoplasms (C00-C97)	24,986	22.1	215.9
3	Chronic lower respiratory diseases (J40-J47)	7,007	6.2	60.6
4	Cerebrovascular diseases (I60-I69)	5,690	5.0	49.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	5,497	4.9	47.5
6	Alzheimer's disease (G30)	3,798	3.4	32.8
7	Diabetes mellitus (E10-E14)	3,563	3.1	30.8
8	Influenza and pneumonia (J09-J18)	2,374	2.1	20.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,985	1.8	17.2
10	Septicemia (A40-A41)	1,741	1.5	15.0
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,526	1.3	13.2
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,396	1.2	12.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,317	1.2	11.4
14	Parkinson's disease (G20-G21)	1,088	1.0	9.4
15	Pneumonitis due to solids and liquids (J69)	838	0.7	7.2
...	All other causes (Residual)	23,574	20.8	203.7
Oklahoma				
...	All causes	38,384	100.0	996.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,721	25.3	252.5
2	Malignant neoplasms (C00-C97)	8,039	20.9	208.8
3	Chronic lower respiratory diseases (J40-J47)	2,680	7.0	69.6
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,474	6.4	64.3
5	Cerebrovascular diseases (I60-I69)	1,880	4.9	48.8
6	Diabetes mellitus (E10-E14)	1,269	3.3	33.0
7	Alzheimer's disease (G30)	1,145	3.0	29.7
8	Influenza and pneumonia (J09-J18)	759	2.0	19.7
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	665	1.7	17.3
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	606	1.6	15.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	582	1.5	15.1
12	Septicemia (A40-A41)	504	1.3	13.1
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	396	1.0	10.3
14	Parkinson's disease (G20-G21)	324	0.8	8.4
15	Pneumonitis due to solids and liquids (J69)	266	0.7	6.9
...	All other causes (Residual)	7,074	18.4	183.7

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Oregon				
...	All causes	33,939	100.0	863.6
1	Malignant neoplasms (C00-C97)	7,799	23.0	198.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,523	19.2	166.0
3	Chronic lower respiratory diseases (J40-J47)	2,029	6.0	51.6
4	Cerebrovascular diseases (I60-I69)	1,775	5.2	45.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,755	5.2	44.7
6	Alzheimer's disease (G30)	1,312	3.9	33.4
7	Diabetes mellitus (E10-E14)	1,109	3.3	28.2
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	698	2.1	17.8
9	Chronic liver disease and cirrhosis (K70,K73-K74)	547	1.6	13.9
10	Essential hypertension and hypertensive renal disease (I10,I12,I15)	526	1.5	13.4
11	Influenza and pneumonia (J09-J18)	496	1.5	12.6
12	Parkinson's disease (G20-G21)	390	1.1	9.9
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	327	1.0	8.3
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	248	0.7	6.3
15	Viral hepatitis (B15-B19)	235	0.7	6.0
...	All other causes (Residual)	8,170	24.1	207.9
Pennsylvania				
...	All causes	129,123	100.0	1,010.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	31,629	24.5	247.6
2	Malignant neoplasms (C00-C97)	28,512	22.1	223.2
3	Chronic lower respiratory diseases (J40-J47)	6,716	5.2	52.6
4	Cerebrovascular diseases (I60-I69)	6,604	5.1	51.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	6,359	4.9	49.8
6	Diabetes mellitus (E10-E14)	3,804	2.9	29.8
7	Alzheimer's disease (G30)	3,271	2.5	25.6
8	Influenza and pneumonia (J09-J18)	2,884	2.2	22.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,767	2.1	21.7
10	Septicemia (A40-A41)	2,234	1.7	17.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,788	1.4	14.0
12	Parkinson's disease (G20-G21)	1,298	1.0	10.2
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,265	1.0	9.9
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,165	0.9	9.1
15	Pneumonitis due to solids and liquids (J69)	1,004	0.8	7.9
...	All other causes (Residual)	27,823	21.5	217.8

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Rhode Island				
...	All causes	9,792	100.0	931.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,364	24.1	224.8
2	Malignant neoplasms (C00-C97)	2,326	23.8	221.2
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	537	5.5	51.1
4	Chronic lower respiratory diseases (J40-J47)	476	4.9	45.3
5	Cerebrovascular diseases (I60-I69)	397	4.1	37.8
6	Alzheimer's disease (G30)	346	3.5	32.9
7	Diabetes mellitus (E10-E14)	258	2.6	24.5
8	Influenza and pneumonia (J09-J18)	195	2.0	18.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	149	1.5	14.2
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	132	1.3	12.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	124	1.3	11.8
12	Septicemia (A40-A41)	105	1.1	10.0
13	Parkinson's disease (G20-G21)	100	1.0	9.5
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	76	0.8	7.2
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	62	0.6	5.9
...	All other causes (Residual)	2,145	21.9	204.0
South Carolina				
...	All causes	44,582	100.0	933.7
1	Malignant neoplasms (C00-C97)	9,745	21.9	204.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,648	21.6	202.1
3	Chronic lower respiratory diseases (J40-J47)	2,756	6.2	57.7
4	Cerebrovascular diseases (I60-I69)	2,508	5.6	52.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,287	5.1	47.9
6	Alzheimer's disease (G30)	1,623	3.6	34.0
7	Diabetes mellitus (E10-E14)	1,240	2.8	26.0
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	869	1.9	18.2
9	Influenza and pneumonia (J09-J18)	747	1.7	15.6
10	Septicemia (A40-A41)	731	1.6	15.3
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	696	1.6	14.6
12	Chronic liver disease and cirrhosis (K70,K73-K74)	681	1.5	14.3
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	422	0.9	8.8
14	Parkinson's disease (G20-G21)	391	0.9	8.2
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	318	0.7	6.7
...	All other causes (Residual)	9,920	22.3	207.8

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
South Dakota				
...	All causes	7,099	100.0	840.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,630	23.0	192.9
2	Malignant neoplasms (C00-C97)	1,577	22.2	186.7
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	425	6.0	50.3
4	Alzheimer's disease (G30)	418	5.9	49.5
4	Cerebrovascular diseases (I60-I69)	418	5.9	49.5
6	Chronic lower respiratory diseases (J40-J47)	416	5.9	49.2
7	Diabetes mellitus (E10-E14)	237	3.3	28.1
8	Influenza and pneumonia (J09-J18)	184	2.6	21.8
9	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	147	2.1	17.4
10	Chronic liver disease and cirrhosis (K70,K73-K74)	122	1.7	14.4
11	Parkinson's disease (G20-G21)	77	1.1	9.1
12	Septicemia (A40-A41)	75	1.1	8.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	74	1.0	8.8
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	64	0.9	7.6
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	53	0.7	6.3
...	All other causes (Residual)	1,182	16.7	139.9
Tennessee				
...	All causes	63,406	100.0	976.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	14,803	23.3	227.9
2	Malignant neoplasms (C00-C97)	13,953	22.0	214.8
3	Chronic lower respiratory diseases (J40-J47)	3,904	6.2	60.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,540	5.6	54.5
5	Cerebrovascular diseases (I60-I69)	3,157	5.0	48.6
6	Alzheimer's disease (G30)	2,536	4.0	39.0
7	Diabetes mellitus (E10-E14)	1,827	2.9	28.1
8	Influenza and pneumonia (J09-J18)	1,564	2.5	24.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,068	1.7	16.4
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,030	1.6	15.9
11	Chronic liver disease and cirrhosis (K70,K73-K74)	867	1.4	13.3
12	Septicemia (A40-A41)	841	1.3	12.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	688	1.1	10.6
14	Pneumonitis due to solids and liquids (J69)	555	0.9	8.5
15	Parkinson's disease (G20-G21)	482	0.8	7.4
...	All other causes (Residual)	12,591	19.9	193.8

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Texas				
...	All causes	179,183	100.0	677.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	40,203	22.4	152.0
2	Malignant neoplasms (C00-C97)	38,412	21.4	145.2
3	Chronic lower respiratory diseases (J40-J47)	9,800	5.5	37.1
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	9,395	5.2	35.5
5	Cerebrovascular diseases (I60-I69)	9,283	5.2	35.1
6	Alzheimer's disease (G30)	5,293	3.0	20.0
7	Diabetes mellitus (E10-E14)	5,273	2.9	19.9
8	Septicemia (A40-A41)	3,892	2.2	14.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	3,722	2.1	14.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	3,412	1.9	12.9
11	Influenza and pneumonia (J09-J18)	3,339	1.9	12.6
12	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	3,059	1.7	11.6
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	1,961	1.1	7.4
14	Parkinson's disease (G20-G21)	1,710	1.0	6.5
15	Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)	1,354	0.8	5.1
...	All other causes (Residual)	39,075	21.8	147.7
Utah				
...	All causes	16,366	100.0	564.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,323	20.3	114.6
2	Malignant neoplasms (C00-C97)	2,971	18.2	102.4
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,103	6.7	38.0
4	Cerebrovascular diseases (I60-I69)	836	5.1	28.8
5	Chronic lower respiratory diseases (J40-J47)	718	4.4	24.8
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	579	3.5	20.0
7	Diabetes mellitus (E10-E14)	578	3.5	19.9
8	Influenza and pneumonia (J09-J18)	413	2.5	14.2
9	Alzheimer's disease (G30)	412	2.5	14.2
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	312	1.9	10.8
11	Chronic liver disease and cirrhosis (K70,K73-K74)	193	1.2	6.7
12	Parkinson's disease (G20-G21)	188	1.1	6.5
13	Septicemia (A40-A41)	158	1.0	5.4
14	Pneumonitis due to solids and liquids (J69)	146	0.9	5.0
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	138	0.8	4.8
...	All other causes (Residual)	4,298	26.3	148.2

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Vermont				
...	All causes	5,639	100.0	899.9
1	Malignant neoplasms (C00-C97)	1,318	23.4	210.3
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,220	21.6	194.7
3	Chronic lower respiratory diseases (J40-J47)	353	6.3	56.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	352	6.2	56.2
5	Alzheimer's disease (G30)	269	4.8	42.9
6	Cerebrovascular diseases (I60-I69)	260	4.6	41.5
7	Diabetes mellitus (E10-E14)	139	2.5	22.2
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	112	2.0	17.9
9	Influenza and pneumonia (J09-J18)	77	1.4	12.3
10	Chronic liver disease and cirrhosis (K70,K73-K74)	75	1.3	12.0
11	Parkinson's disease (G20-G21)	73	1.3	11.6
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	69	1.2	11.0
13	Septicemia (A40-A41)	47	0.8	7.5
14	Pneumonitis due to solids and liquids (J69)	36	0.6	5.7
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	35	0.6	5.6
...	All other causes (Residual)	1,204	21.4	192.1
Virginia				
...	All causes	62,716	100.0	759.2
1	Malignant neoplasms (C00-C97)	14,414	23.0	174.5
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,663	21.8	165.4
3	Cerebrovascular diseases (I60-I69)	3,287	5.2	39.8
4	Chronic lower respiratory diseases (J40-J47)	3,181	5.1	38.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,951	4.7	35.7
6	Alzheimer's disease (G30)	1,642	2.6	19.9
7	Diabetes mellitus (E10-E14)	1,626	2.6	19.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,547	2.5	18.7
9	Septicemia (A40-A41)	1,475	2.4	17.9
10	Influenza and pneumonia (J09-J18)	1,442	2.3	17.5
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,072	1.7	13.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	843	1.3	10.2
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	627	1.0	7.6
14	Parkinson's disease (G20-G21)	551	0.9	6.7
15	Pneumonitis due to solids and liquids (J69)	534	0.9	6.5
...	All other causes (Residual)	13,861	22.1	167.8

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Washington				
...	All causes	51,264	100.0	735.3
1	Malignant neoplasms (C00-C97)	11,928	23.3	171.1
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,524	20.5	151.0
3	Alzheimer's disease (G30)	3,277	6.4	47.0
4	Chronic lower respiratory diseases (J40-J47)	2,933	5.7	42.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,826	5.5	40.5
6	Cerebrovascular diseases (I60-I69)	2,652	5.2	38.0
7	Diabetes mellitus (E10-E14)	1,616	3.2	23.2
8	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	1,027	2.0	14.7
9	Chronic liver disease and cirrhosis (K70,K73-K74)	966	1.9	13.9
10	Influenza and pneumonia (J09-J18)	768	1.5	11.0
11	Parkinson's disease (G20-G21)	589	1.1	8.4
12	Essential hypertension and hypertensive renal disease (I10,I12,I15)	570	1.1	8.2
13	Pneumonitis due to solids and liquids (J69)	553	1.1	7.9
14	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	461	0.9	6.6
15	Septicemia (A40-A41)	453	0.9	6.5
...	All other causes (Residual)	10,121	19.7	145.2
West Virginia				
...	All causes	21,843	100.0	1,178.0
1	Malignant neoplasms (C00-C97)	4,718	21.6	254.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,666	21.4	251.6
3	Chronic lower respiratory diseases (J40-J47)	1,590	7.3	85.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,395	6.4	75.2
5	Cerebrovascular diseases (I60-I69)	983	4.5	53.0
6	Diabetes mellitus (E10-E14)	841	3.9	45.4
7	Alzheimer's disease (G30)	590	2.7	31.8
8	Influenza and pneumonia (J09-J18)	481	2.2	25.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	450	2.1	24.3
10	Septicemia (A40-A41)	331	1.5	17.9
11	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	323	1.5	17.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	294	1.3	15.9
13	Essential hypertension and hypertensive renal disease (I10,I12,I15)	282	1.3	15.2
14	Parkinson's disease (G20-G21)	158	0.7	8.5
15	Pneumonitis due to solids and liquids (J69)	119	0.5	6.4
...	All other causes (Residual)	4,622	21.2	249.3

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2013

[Rates per 100,000 population]

Rank ¹	Cause of death (based on the <i>International Classification of Diseases, Tenth Revision</i>) and State	Number	Percent of total deaths	Rate
Wisconsin				
...	All causes	50,026	100.0	871.1
1	Malignant neoplasms (C00-C97)	11,425	22.8	198.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,362	22.7	197.9
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,969	5.9	51.7
4	Chronic lower respiratory diseases (J40-J47)	2,789	5.6	48.6
5	Cerebrovascular diseases (I60-I69)	2,536	5.1	44.2
6	Alzheimer's disease (G30)	1,671	3.3	29.1
7	Diabetes mellitus (E10-E14)	1,285	2.6	22.4
8	Influenza and pneumonia (J09-J18)	1,125	2.2	19.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	993	2.0	17.3
10	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	850	1.7	14.8
11	Chronic liver disease and cirrhosis (K70,K73-K74)	618	1.2	10.8
12	Parkinson's disease (G20-G21)	578	1.2	10.1
13	Septicemia (A40-A41)	484	1.0	8.4
14	Essential hypertension and hypertensive renal disease (I10,I12,I15)	427	0.9	7.4
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	380	0.8	6.6
...	All other causes (Residual)	10,534	21.1	183.4
Wyoming				
...	All causes	4,516	100.0	775.1
1	Malignant neoplasms (C00-C97)	946	20.9	162.4
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	939	20.8	161.2
3	Chronic lower respiratory diseases (J40-J47)	387	8.6	66.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	325	7.2	55.8
5	Cerebrovascular diseases (I60-I69)	213	4.7	36.6
6	Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)	129	2.9	22.1
7	Alzheimer's disease (G30)	126	2.8	21.6
8	Influenza and pneumonia (J09-J18)	112	2.5	19.2
9	Chronic liver disease and cirrhosis (K70,K73-K74)	92	2.0	15.8
10	Diabetes mellitus (E10-E14)	89	2.0	15.3
11	Septicemia (A40-A41)	69	1.5	11.8
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	56	1.2	9.6
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	41	0.9	7.0
14	Parkinson's disease (G20-G21)	35	0.8	6.0
15	Essential hypertension and hypertensive renal disease (I10,I12,I15)	31	0.7	5.3
...	All other causes (Residual)	926	20.5	158.9

... Category not applicable

¹ Rank based on number of deaths

SOURCE: CDC/NCHS, National Vital Statistics System, Mortality 2013